**AMENDMENTS TO THE CLAIMS** 

This listing of claims will replace all prior versions and listings of claims in the

application:

LISTING OF CLAIMS:

1. (original): A blister strip (20) for use in a fluid or powder inhaler, and including a plurality of

blisters, each formed by a reservoir (21) including an opening (25) that is sealed in leaktight

manner by a tearable layer (7, 5), the blister strip (20) being characterized in that it comprises at

least a base layer (6) that is provided with openings (25) forming the openings of the blisters, and

a cavity layer (8) that is provided with cavities forming the blister walls (21), said tearable layer

(7, 5) comprising a first tearable-layer portion (7) that is disposed between said base layer (6)

and said cavity layer (8), and a second tearable-layer portion (5) that is disposed on the opposite

side of said base layer (6), said first and second tearable-layer portions (7, 5) being connected

together at each opening (25) of the base portion (6).

2. (original): A blister strip according to claim 1, in which said first and second tearable-layer

portions (7, 5) are made from the same material.

3. (currently amended): A blister strip according to claim 1-or claim 2, in which said first and

second tearable-layer portions (7, 5) are connected together as a single part in each opening (25)

of the base layer (6).

Appln. No.: National Stage of PCT/FR2005/050014

4. (original): A blister strip according to claim 3, in which said single-part connection is made by

fusing material.

5. (currently amended): A blister strip according to claim 1 any preceding claim, in which said

tearable layer (7, 5) comprises polyethylene.

6. (currently amended): A blister strip according to claim 1 any preceding claim, in which each of

said first and second tearable-layer portions (7, 5) are constituted by a continuous film of

polyethylene.

7. (currently amended): A blister strip according to claim 1 any preceding claim, in which each of

said first and second tearable-layer portions comprises a film having thickness that is less than

100  $\mu$ m, advantageously lying in the range 10  $\mu$ m to 40  $\mu$ m, and preferably equal to 30  $\mu$ m.

8. (currently amended): A blister strip according to claim 1 any preceding claim, in which said

base layer (6) comprises polyester.

9. (currently amended): A blister strip according to claim 1 any preceding claim, in which said

base layer (6) comprises a film having thickness that is less than 100  $\mu$ m, advantageously lying

in the range 40  $\mu$ m to 60  $\mu$ m, and preferably equal to 50  $\mu$ m.

Appln. No.: National Stage of PCT/FR2005/050014

10. (currently amended): A blister strip according to claim 1 any preceding claim, in which said

cavity layer (8) comprises polyethylene and/or polypropylene.

11. (currently amended): A blister strip according to claim 1 any preceding claim, in which said

tearable layer (7, 5) further includes a first aluminum layer (2) that is fastened to said second

tearable-layer portion (5).

12. (original): A blister strip according to claim 11, in which said first aluminum layer (2) has

thickness that is less than 50  $\mu$ m, advantageously lying in the range 10  $\mu$ m to 30  $\mu$ m, and

preferably equal to 20  $\mu$ m.

13. (currently amended): A blister strip according to claim 11-or claim-12, in which a polyester

layer (4) and an adhesive layer (3) are disposed between said second tearable-layer portion (5)

and said first aluminum layer (2).

14. (currently amended): A blister strip according to claim 1 any preceding claim, in which said

tearable layer (7, 5) includes a first outer layer (1), preferably formed by a printers' varnish.

15. (currently amended): A blister strip according to claim 1 any preceding claim, in which said

cavity layer (8) further includes a second aluminum layer (11).

Appln. No.: National Stage of PCT/FR2005/050014

16. (original): A blister strip according to claim 15, in which a polyester layer (9) and an adhesive layer (10) are disposed between said cavity layer (8) and said second aluminum layer

(11).

17. (currently amended): A blister strip according to claim 1 any preceding claim, in which said

cavity layer (8) includes a second outer layer (13), preferably formed by a protective layer or by

a layer of varnish, preferably interposed with an adhesive layer (12).

18. (currently amended): A blister strip according to claim 1 any preceding claim, in which the

adherence of the tearable layer (7, 5) to the base layer (6) between the openings (25) is different

from the adherence in the proximity of said openings (25).

19. (currently amended): A blister strip according to claim 1 any preceding claim, in which the

blisters (21) contain a pharmaceutical powder.

20. (currently amended): A dry-powder inhaler, characterized in that it includes a blister strip

(20) according to claim 1 any preceding claim.